



RAUCORD WEAVING MATERIAL

PRODUCT LIST FOR 2010 / 2011



UNLIMITED POLYMER SOLUTIONS

LIVE BETTER WITH REHAU QUALITY AND INNOVATION

REHAU TODAY • REHAU was founded in Germany in 1948. Today, our proficiency in developing innovative solutions has made us a global leader in polymer processing technologies, providing a wide range of products and services to the Construction, Automotive and Industrial sectors. Through continuing research and development, REHAU consistently delivers cost-effective products designed with the environment in mind. Stringent quality control and safety guidelines ensure that our products comply with the highest international standards. We take pride in our expertise and versatility to remain at the forefront of technology. As an independent and privately owned company, REHAU focuses on building long-lasting partnerships and alliances with our customers.

REHAU EVERYWHERE • With over 120 branches, 44 plants and 15 training academies across 53 countries, REHAU is one of the world's leading polymer solutions providers. REHAU products are found in a wide range of applications. From sound-absorbing roller shutter systems and energy efficient PVC windows to automotive bumper systems, REHAU is a part of our day-to-day lives.



From top, left to right: intelligent heating and cooling systems • contemporary roller shutter storage solutions • energy-efficient window solutions • quality edgeband for the furniture industry • gasket seals and profiles for domestic appliances • robust hot and cold water plumbing systems • sophisticated automobile bumpers • the latest trends in synthetic weaving materials • high-pressure hoses for various industrial applications • acoustic domestic drainage systems • advanced pipe aerator solutions.





TABLE OF CONTENT

| | | |
|----|-------------------------------|----|
| 1. | RAUCORD WEAVING MATERIAL..... | 5 |
| 2. | OUR SERVICES..... | 6 |
| 3. | OTHER INFORMATION | 7 |
| 4. | RAUCORD PRODUCT LISTING..... | 8 |
| | - RAUCORD Classic | 10 |
| | - RAUCORD Natural | 11 |
| | - RAUCORD Creative..... | 12 |
| 5. | PRICE LIST..... | 14 |
| 6. | COLOUR CARDS..... | 15 |

RAUCORD WEAVING MATERIAL

CAREFREE OUTDOOR LIVING

1.



New Generation RAUCORD StressFlex

RAUCORD StressFlex with higher stress resistance and improved flexibility is now available. For further information, please contact your local REHAU contact or email enquiry to raucord@rehau.com

RAUCORD is a premium synthetic weaving material suitable for all kinds of applications including outdoor and indoor furniture as well as garden and home accessories.

The material is manufactured using renowned German engineering know-how and production technology. REHAU has been active in polymer processing since 1948 and is one of the pioneers in designing and supplying all-weather rattan with more than seven years of experience in this field.

Due to its superior characteristics, RAUCORD weaving material offers a carefree outdoor experience:


- UV resistant
- Weatherproof and temperature resistant
- Strong and durable
- Maintenance-free and easy to clean
- Non-toxic and environmentally friendly
- Colourfast and scratch-free



2.

OUR SERVICES

GLOBAL PRESENCE, LOCAL SUPPORT



REHAU focuses on building long-lasting partnerships. Working closely with our customers we offer a variety of services to increase your market success.

1. MARKETING SUPPORT

REHAU helps you and your customers boost sales by promoting the quality and advantages of using RAUCORD weaving material. A wide range of attractive and informative marketing tools are available and ready to order. Please email to our RAUCORD Marketing Department: raucord@rehau.com or call us on tel: +65 6392 6006 for information on how we can support you to create your individual sales growth solution.

2. APPLICATION CONSULTING

A successful furniture design piece is always defined by the right combination of material and design concept. Our Application Consulting service offers technical advice and creative solutions for your weaving design challenges. Please contact your local REHAU branch to arrange a visit with our application experts.



3. EXPRESS ORDERS

For your urgent orders, this service offers you a guaranteed lead time of only 7 working days. A surcharge of 20% of the total order value applies. (Minimum order volume per article: 500 kg, maximum total order volume: 4,000 kg.)

4. EXCLUSIVITY

Customised colour or profile developments are available on request. Please ask your REHAU representative for our current exclusivity conditions and prices.

5. SAMPLING

- RAUCORD sample set:

Order your complete RAUCORD range in a convenient sample set to present the latest material and colour trends to your customers for only 40 USD / sample set.

- RAUCORD prototype material:

For cost effective sample furniture building, you can order a material of your choice at a special sample price of 40 USD / 10 kg coil. (Limited to 10 kg per month per customer. Offer applies in combination with regular orders only.)



OTHER INFORMATION

PACKAGING AND DELIVERY

3.



DELIVERY SPECIFICATION

- **Minimum order quantity** is 100 kg. For smaller sampling quantity, please contact your nearest REHAU sales office.
- **Domestic packing** for Indonesia: RAUCORD is delivered in bag pack of 40 kg (4 x 10 kg coils).
- **Export packing** for customers outside Indonesia: please refer to Export Packing Table below for dimensions.

EXPORT PACKING TABLE

| | |
|------------------------|---|
| 1 roll | +/- 10 kg |
| 4 coils | Coils in stack, 1 box |
| 8 boxes | 4 x 2 layers, 1 palette |
| 180 boxes | 1 container, 20 ft, no palette is required |
| Carton box | 450 W x 450 L x 705 H mm |
| Palette | 900 W x 900 L x 1,420 H mm |
| 20 ft container | 2,300 W x 5,800 L x 2,300 H mm Loading capacity is approx. 8-10 tons |

TERMS AND CONDITIONS

Information in this brochure is subjected to changes without prior notification. The products described here must be stored and handled adhering to the REHAU guidelines in the latest version of the RAUCORD Technical Delivery Specification and Weaving Manual. As the responsible supplier, REHAU reserves the right to carry out modifications or deviations of the products under contract, for purposes of improvement and further development, whereas there will be no modifications of the specifications agreed herein.

4.

RAUCORD PRODUCT LISTING

FOR 2010 / 2011



RAUCORD CLASSIC

TIMELESS ELEGANCE

RAUCORD classic offers all the standard one tone colours for classical designs as well as the fashionable Shimmer or Rainbow products.

| | Profile description | Cross sectional view | Dimension | Surface finish | Article no. |
|---|---|---|-------------------------|----------------|-------------|
|  <div data-bbox="137 916 405 1102" style="border: 2px solid pink; border-radius: 15px; padding: 5px; color: pink; font-weight: bold; text-align: center;"> Elegant shimmer colours in micro ribbed finish </div> | Double oval ribbed |  | 6 mm | double ribbed | 602296 |
| | Peel smooth |  | 6 mm | smooth | 602396 |
| | | | 8 mm | smooth | 602366 |
| | Peel ribbed |  | 4.5 mm | single ribbed | 602316 |
| | | | 6 mm | single ribbed | 602178 |
| | | | 8 mm | single ribbed | 603176 |
| | Half round smooth |  | 5 mm | smooth | 602966 |
| | | | 6 mm | smooth | 603036 |
| | Round smooth |  | 3 mm | smooth | 602766 |
| | | | 4 mm | smooth | 602806 |
| | | | 5 mm | smooth | 602926 |
| | | | 6 mm | smooth | 603056 |
| | | | 7 mm | smooth | 603156 |
| | Round smooth with wire insert |  | 2.5 mm | smooth | 602686 |
| | Round fine ribbed |  | 2.5 mm | ribbed | 602666 |
| | | | 2.8 mm | ribbed | 602706 |
| | | | 3 mm | ribbed | 602746 |
| | | | 4 mm | ribbed | 602786 |
| | | | 4.5 mm | ribbed | 602826 |
| Webbing strip smooth |  | 3 x 2 mm | smooth | 603306 | |
| | |  | 7 mm | smooth | 603116 |
| | | | 14 mm | smooth | 602426 |
| | | | 15 mm | smooth | 602446 |
| Webbing strip double ribbed |  | 13.4 mm | double ribbed | 603016 | |
| Webbing strip micro ribbed |  | 7 mm | double ribbed | 603096 | |
| | | 7 mm | double ribbed (leather) | 603616 | |
| | | 18 mm | double ribbed | 602146 | |
| | | 18 mm | double ribbed (leather) | 603596 | |
| | | 18 mm | double ribbed (brush) | 603576 | |
| Webbing strip Quadround |  | 12 mm | smooth | 603356 | |

RAUCORD NATURAL

LIVING WITH NATURE

RAUCORD natural consists of a wide selection of two-tone colours such as the popular Java Brown, Cappuccino or Coffee Cream.

| | Profile description | Cross sectional view | Dimension | Surface finish | Article no. |
|---|---|---|-------------------------|----------------|-------------|
|  | Double oval ribbed |  | 6 mm | double ribbed | 602306 |
| | Peel smooth |  | 6 mm | smooth | 602726 |
| | | | 8 mm | smooth | 602376 |
| | Peel ribbed |  | 4.5 mm | single ribbed | 602326 |
| | | | 6 mm | single ribbed | 602179 |
| | | | 8 mm | single ribbed | 603186 |
| | | | 12 mm | single ribbed | 602416 |
| | Half round smooth |  | 5 mm | smooth | 602976 |
| | | | 6 mm | smooth | 603046 |
| | Round smooth |  | 3 mm | smooth | 602776 |
| | | | 4 mm | smooth | 602816 |
| | | | 5 mm | smooth | 602936 |
| | | | 6 mm | smooth | 603066 |
| | | | 7 mm | smooth | 603166 |
| | Round fine ribbed |  | 2.5 mm | ribbed | 602676 |
| | | | 2.8 mm | ribbed | 602716 |
| | | | 3 mm | ribbed | 602756 |
| | | | 4 mm | ribbed | 602796 |
| | | | 4.5 mm | ribbed | 602836 |
| Webbing strip smooth |  | 3 x 2 mm | smooth | 603316 | |
| | |  | 7 mm | smooth | 603126 |
| | | 14 mm | smooth | 602436 | |
| | | 15 mm | smooth | 602456 | |
| Webbing strip double ribbed |  | 13.4 mm | double ribbed | 603026 | |
| Webbing strip micro ribbed |  | 7 mm | double ribbed | 603106 | |
| | | 7 mm | double ribbed (leather) | 603626 | |
| | | 18 mm | double ribbed | 602139 | |
| | | 18 mm | double ribbed (leather) | 603606 | |
| | | 18 mm | double ribbed (brush) | 603586 | |
| Webbing strip Quadround |  | 12 mm | smooth | 603286 | |

Unique
natural colour effect

RAUCORD CREATIVE

CELEBRATION OF DESIGN FREEDOM

RAUCORD creative is a range of exclusive weaving materials by REHAU, including the collections Loom, Abaca, Pulut and Trend.



| RAUCORD Creative - Loom | Profile description | Cross sectional view | Dimension | Surface finish | Article no. |
|---|---------------------------|---|-----------|----------------|-------------|
|  | Loom (single-tone colour) |  | 1.8 mm | twist ribbed | 602606 |
| | | | 2.2 mm | twist ribbed | 602626 |
| | Loom (two-tone colour) | | 1.8 mm | twist ribbed | 602616 |
| | | | 2.2 mm | twist ribbed | 602636 |

| RAUCORD Creative - Abaca | Profile description | Cross sectional view | Dimension | Surface finish | Article no. |
|---|----------------------------|---|-----------|--------------------------------|-------------|
|  | Abaca (single-tone colour) |  | 3 mm | twist ribbed (200-twist grade) | 603416 |
| | | | 3 mm | twist ribbed (400-twist grade) | 603436 |
| | | | 4.5 mm | twist ribbed (200-twist grade) | 602866 |
| | | | 4.5 mm | twist ribbed (400-twist grade) | 602886 |
| | Abaca (two-tone colour) | | 3 mm | twist ribbed (200-twist grade) | 603426 |
| | | | 3 mm | twist ribbed (400-twist grade) | 603446 |
| | | | 4.5 mm | twist ribbed (200-twist grade) | 602876 |
| | | | 4.5 mm | twist ribbed (400-twist grade) | 602896 |

| RAUCORD Creative - Pulut | Profile description | Cross sectional view | Dimension | Surface finish | Article no. |
|---|---------------------|---|-----------|-----------------|-------------|
|  | Peel smooth |  | 7 mm | textured | 603146 |
| | Round smooth | | 3 mm | textured | 602736 |
| | | | 5 mm | textured | 602956 |
| | | | 8 mm | textured / foam | 603206 |

RAUCORD CREATIVE


CELEBRATION OF DESIGN FREEDOM

| RAUCORD Creative - Trend | Profile description | Cross sectional view | Dimension | Surface finish | Article no. |
|---|---|---|--------------------------------|--|-------------|
|  | Trend colours 2010 / 2011 | | | | |
| | Webbing strip micro ribbed (single-tone colour) |  | 7 mm | double ribbed | 603096 |
| | | | 18 mm | double ribbed | 602146 |
| | Webbing strip micro ribbed (two-tone colour) |  | 7 mm | double ribbed | 603106 |
| | | | 18 mm | double ribbed | 602139 |
| | <i>* other profiles are available on request</i> | | | | |
|  | Linea | | | | |
| | Webbing strip micro ribbed |  | 10 mm | double ribbed | 631827 |
| | Duo-colour | | | | |
| Webbing strip smooth |  | 26 mm | two-layer smooth | 603296 | |
|  | XXL | | | | |
| | Webbing strip smooth (single-tone colour) |  | 40 mm | smooth | 603666 |
| | | | 40 mm | single brush (top) | 603686 |
| | | | 50 mm | smooth | 603326 |
| | | | 50 mm | single brush (top) | 603556 |
| | Webbing strip smooth (two-tone colour) |  | 40 mm | smooth | 603676 |
| | | | 40 mm | single brush (top) | 603696 |
| | | | 50 mm | smooth | 603336 |
| | | | 50 mm | single brush (top) | 603566 |
| |  | Motif | | | |
| Recommend for webbing strip smooth and micro ribbed profile | |  | Contact your local REHAU Sales | Durable print (logo or graphical design) | NA |

RAUCORD Colours



To find out the colours available in each collection, simply refer to the respective RAUCORD colourcard or your RAUCORD sample set. Contact us now to obtain our latest colour creations.





Construction



Automotive



Industry

Our verbal and written advice relating to technical applications is based on experience and is to the best of our knowledge correct but is given without obligation. The use of REHAU products in conditions that are beyond our control or for applications other than those specified releases us from any obligation in regard to claims made in respect of the products.

We recommend that the suitability of any REHAU product for the intended application should be checked. Utilization and processing of our products are beyond our control and are therefore exclusively your responsibility. In the event that a liability is nevertheless considered, any compensation will be limited to the value of the goods supplied by us and used by you.

Our warranty assumes consistent quality of our products in accordance with our specification and in accordance with our general conditions of sale.

This document is protected by copyright. All rights based on this are reserved. No part of this publication may be translated, reproduced or transmitted in any form or by any similar means, electronic or mechanical, photocopying, recording or otherwise, or stored in a data retrieval system.

REHAU Branches in Asia/Australia

Regional Office for Asia/Australia

SINGAPORE

1 King George's Avenue, REHAU Building, Singapore 208557 Tel: +65 6392-6006 Fax: +65 6392-6116

AUSTRALIA National Customer Centre Tel: 1300 768 033 [toll-free] Adelaide Tel: +61 8 8299-0031 Brisbane Tel: +61 7 3889-7522 Melbourne

Tel: +61 3 9587-5544 Perth Tel: +61 8 9456-4311 Sydney Tel: +61 2 8741-4500 GREATER CHINA National Customer Centre Tel: +86 400

887 8300 [toll-free] Beijing Tel: +86 10 6428-2956 Chengdu Tel: +86 28 8628-3218 Guangzhou Tel: +86 20 8776-0343 / 3646 Hong Kong

Tel: +852 2898-7080 Shanghai Tel: +86 21 6355-1155 Taicang Tel: +86 512 5337-2888 Taipei Tel: +886 2 8780-3899 INDIA Bangalore Tel:

+91 93 4295-2748 / 4104-6605 / 7901-6295 Mumbai Tel: +91 22 6792-2929 / 2930 New Delhi Tel: +91 11 4504-4700 ~ 4710 INDONESIA

Jakarta Tel: +62 21 5275-177 JAPAN Tokyo Tel: +81 3 5796-2102 KOREA Seoul Tel: +82 2 5011-656 MALAYSIA Kuala Lumpur Tel: +6 16 7080-

384 NEW ZEALAND Auckland Tel: +64 9 2722-264 THAILAND Bangkok Tel: +66 2 7443-155 VIETNAM Ho Chi Minh City Tel: +84 8 6255-6730